

[Simple  
search  
form](#)[Expanded  
search  
form](#)

## Search Results:


**Search for:** ((fuel ADJ cells) AND (cerium OR ceria))

**Database:** [Electronic Journals](#)


**Returned:** 43 documents (Maximum set to: 50 )

Click on the icon  at the end of each title to find similar documents.


Solid oxide **fuel** cells of **ceria** doped with gadolinium and praseodymium (*Solid State Ionics, Volume: 107, Issue: 1-2*)

- Maffei, N.; Kuriakose, A.K., pp. 67-71, [Article Full-text PDF \(314 KB\)](#)  
Score: **100**, March 1, 1998 


Non-conventional **fuel** cell systems: new concepts and development (*Journal of Power Sources, Volume: 79, Issue: 1*)

- Zhu, Bin; Meng, Guangyao; Mellander, Bengt-Erik, pp. 30-36,  
[Article Full-text PDF \(1.00 MB\)](#)  
Score: **68**, May 1999 


Increased solid-oxide **fuel** cell power density using interfacial **ceria** layers (*Solid State Ionics, Volume: 98, Issue: 3-4*)

- Tsai, Tsepin; Barnett, Scott A., pp. 191-196, [Article Full-text PDF \(394 KB\)](#)  
Score: **65**, June 2, 1997 


Low-temperature water-gas shift reaction over Cu- and Ni-loaded **cerium** oxide catalysts (*Applied Catalysis B: Environmental, Volume: 27, Issue: 3*)

- Li, Yue; et. al., pp. 179-191, [Article Full-text PDF \(430 KB\)](#)  
Score: **64**, August 7, 2000 


Mechanical properties and electrochemical characterisation of extruded doped **cerium** oxide for use as an electrolyte for solid oxide **fuel** cells (*Journal of Power Sources, Volume: 75, Issue: 1*)

- Bellon, Oliver; Sammes, Nigel M.; Staniforth, John, pp. 116-121,  
[Article Full-text PDF \(223 KB\)](#)  
Score: **63**, September 1, 1998 


Process for sealing high-temperature **fuel** cells (*Journal of Power Sources, Volume: 67, Issue: 1-2*)

- Pal, U.; Landes, H.; Greiner, H., pp. 333, [Article Full-text PDF \(97.1 KB\)](#)  
Score: **61**, July 8, 1997 


Physical, chemical and electrochemical properties of pure and doped **ceria** (*Solid State Ionics, Volume: 129, Issue: 1-4*)

- Mogensen, Mogens; Sammes, Nigel M.; Tompsett, Geoff A., pp. 63-94,  
[Article Full-text PDF \(1.07 MB\)](#)  
Score: **58**, April 2000 


**Fuel cells with doped lanthanum gallate electrolyte** (*Journal of Power Sources, Volume: 63, Issue: 1*)

- Man, Feng; Goodenough, John B.; Kegin, Huang; Milliken, Christopher, pp. 47-51, [Article Full-text PDF \(401 KB\)](#)  
Score: **51**, November 1996 


**X-ray absorption near edge structure (XANES) measurements of ceria-based solid electrolytes** (*Solid State Ionics, Volume: 136-137*)

- Hormes, J.; Pantelouris, M.; Balazs, G.B.; Rambabu, B., pp. 945-954, [Article Full-text PDF \(267 KB\)](#)  
Score: **50**, November 2, 2000 


**Applications of heterogeneous catalysis in the direct oxidation of hydrocarbons in a solid-oxide fuel cell** (*Applied Catalysis A: General, Volume: 200, Issue: 1-2*)

- Park, Seungdoo; Gorte, Raymond J.; Vohs, John M., pp. 55-61, [Article Full-text PDF \(190 KB\)](#)  
Score: **47**, August 28, 2000 


**Oxalate coprecipitation of doped ceria powder for tape casting** (*Ceramics International, Volume: 24, Issue: 3*)

- Herle, Jan Van; et. al., pp. 229-241, [Article Full-text PDF \(2.08 MB\)](#)  
Score: **47**, May 1998 


**Sintering and properties of nanosized ceria solid solutions** (*Solid State Ionics, Volume: 135, Issue: 1-4*)

- Kleinlogel, C.; Gauckler, L.J., pp. 567-573, [Article Full-text PDF \(498 KB\)](#)  
Score: **44**, November 1, 2000 


**Fabrication and properties of  $\text{Ce}_{0.8}\text{Gd}_{0.2}\text{O}_{1.9}$  electrolyte-based tubular solid oxide fuel cells** (*Solid State Ionics, Volume: 126, Issue: 3-4*)

- Hatchwell, C.; Sammes, N.M.; Brown, I.W.M., pp. 201-208, [Article Full-text PDF \(403 KB\)](#)  
Score: **43**, November 2, 1999 

**Effect of co-dopant addition on properties of gadolinia-doped ceria electrolyte** (*Journal of Power Sources, Volume: 90, Issue: 2*)

- Kim, Namjin; Kim, Byong-Ho; Lee, Dokyol, pp. 139-143, [Article Full-text PDF \(171 KB\)](#)  
Score: **42**, October 1, 2000 

**High temperature pH sensing and  $\text{O}^{2-}$  conduction properties of electrophoretically fabricated ceria composites** (*Solid State Ionics, Volume: 113-115*)


- Hamagami, Jun-ichi; Inda, Yasushi; Umegaki, Takao; Yamashita, Kimihiro, pp. 235-239, [Article Full-text PDF \(465 KB\)](#)  
Score: **42**, December 1, 1998 

**Oxygen chemical potential variation in ceria-based solid oxide fuel cells determined by Raman spectroscopy** (*Solid State Ionics, Volume: 135, Issue: 1-4*)


- Mineshige, Atsushi; Taji, Toshiya; Muroi, Yasunori; Kobune, Masafumi; Fujii, Satoshi; Nishi, Naoya; et. al., pp. 481-485, [Article Full-text PDF \(142 KB\)](#)

Score: 37, November 1, 2000 


Chemically-induced stresses in ceramic oxygen ion-conducting membranes (*Solid State Ionics*, Volume: 129, Issue: 1-4)

- Atkinson, A.; Ramos, T.M.G.M., pp. 259-269, [Article Full-text PDF \(215 KB\)](#)  
Score: 37, April 2000 


The use of  $\text{Ce}(\text{fod})_4$  as a precursor for the growth of ceria films by metal-organic chemical vapour deposition (*Thin Solid Films*, Volume: 280, Issue: 1-2)

- McAleese, J.; Steele, B.C.H.; Plakatouras, J.C., pp. 152-159,  
[Article Full-text PDF \(892 KB\)](#)  
Score: 36, July 1996 


High performance electrodes for medium-temperature solid oxide fuel cells: Activation of  $\text{La}(\text{Sr})\text{CoO}_3$  cathode with highly dispersed Pt metal electrocatalysts (*Solid State Ionics*, Volume: 135, Issue: 1-4)

- Uchida, H.; Arisaka, S.; Watanabe, M., pp. 347-351, [Article Full-text PDF \(308 KB\)](#)  
Score: 35, November 1, 2000 


High-temperature conversion of methane on a composite gadolinia-doped ceria-gold electrode (*Applied Catalysis A: General*, Volume: 189, Issue: 1)

- Marina, Olga A.; Mogensen, Mogens, pp. 117-126, [Article Full-text PDF \(276 KB\)](#)  
Score: 34, November 22, 1999 


Properties of  $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-x}$  (LSCF) double layer cathodes on gadolinium-doped cerium oxide (CGO) electrolytes: II. Role of oxygen exchange and diffusion (*Solid State Ionics*, Volume: 106, Issue: 3-4)

- Steele, B.C.H.; Bae, Joong-Myeon, pp. 255-261, [Article Full-text PDF \(427 KB\)](#)  
Score: 33, February 1, 1998 


Metal-organic vapor deposition of YSZ electrolyte layers for solid oxide fuel cell applications (*Thin Solid Films*, Volume: 304, Issue: 1-2)

- Chour, K.-W.; Chen, J.; Xu, R., pp. 106-112, [Article Full-text PDF \(839 KB\)](#)  
Score: 33, July 1997 

Surface composition of ceramic CeGd-oxide (*Solid State Ionics*, Volume: 112, Issue: 1-2)

- Scanlon, P.J.; Bink, R.A.M.; van Berkel, F.P.F.; Christie, G.M.; van IJzendoorn, L.J.; Brongersma, H.H.; et. al., pp. 123-130, [Article Full-text PDF \(162 KB\)](#)  
Score: 31, September 2, 1998 

$\text{CeO}_2$  thin films by flash evaporation (*Solid State Ionics*, Volume: 96, Issue: 1-2)

- Ramírez-Duverger, A.; Ruiz-Salvador, A. Rabdel; Hernández-Sánchez, M.P.; et. al., pp. 89-93, [Article Full-text PDF \(268 KB\)](#)  
Score: 30, March 2, 1997 

Modified nickel oxides as cathode materials for MCFC (*Journal of Power Sources*, Volume: 86, Issue: 1-2)

- Daza, L.; Rangel, C.M.; Baranda, J.; Casais, M.T.; Martínez, M.J.; Alonso, J.A., pp. 329-333, [Article Full-text PDF \(1.43 MB\)](#)

Score: 27, March 2000 

Cathodic reaction mechanism of dense  $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_3$  and  $\text{La}_{0.81}\text{Sr}_{0.09}\text{MnO}_3$  electrodes for solid oxide fuel cells (*Solid State Ionics*, Volume: 135, Issue: 1-4)

- Endo, A.; Fukunaga, H.; Wen, C.; Yamada, K., pp. 353-358, [Article Full-text PDF \(169 KB\)](#)

Score: 27, November 1, 2000 


Operation of solid oxide fuel cells at reduced temperatures (*Fuel*, Volume: 78, Issue: 6)

- Sahibzada, M.; Steele, B.C.H.; Barth, D.; Rudkin, R.A.; Metcalfe, I.S., pp. 639-643, [Article Full-text PDF \(274 KB\)](#)

Score: 26, May 1999 


Mechanical behaviour of ceramic oxygen ion-conducting membranes (*Solid State Ionics*, Volume: 134, Issue: 1-2)

- Atkinson, A.; Selçuk, A., pp. 59-66, [Article Full-text PDF \(243 KB\)](#)

Score: 24, October 1, 2000 

Intermediate temperature SOFC – a promise for the 21st century (*Journal of Power Sources*, Volume: 71, Issue: 1-2)

- Huijsmans, J.P.P.; van Berkel, F.P.F.; Christie, G.M., pp. 107-110, [Article Full-text PDF \(426 KB\)](#)

Score: 24, March 15, 1998 


High performance electrodes for reduced temperature solid oxide fuel cells with doped lanthanum gallate electrolyte: I. Ni-SDC cermet anode (*Journal of Power Sources*, Volume: 86, Issue: 1-2)

- Ohara, S.; Maric, R.; Zhang, X.; Mukai, K.; Fukui, T.; Yoshida, H.; Inagaki, T.; Miura, K., pp. 455-458, [Article Full-text PDF \(389 KB\)](#)

Score: 23, March 2000 

Testing tubular solid oxide fuel cells in nonsteady-state conditions (*Journal of Power Sources*, Volume: 79, Issue: 2)

- Kharton, V.V.; Naumovich, E.N.; Tikhonovich, V.N.; Bashmakov, I.A.; Boginsky, L.S.; Kovalevsky, A.V., pp. 242-249, [Article Full-text PDF \(1.71 MB\)](#)

Score: 23, June 1999 

Performance of double layer electrolyte cells Part II: GCO/YSZ, a case study (*Solid State Ionics*, Volume: 100, Issue: 1-2)

- Marques, F.M.B.; Navarro, L.M., pp. 29-38, [Article Full-text PDF \(691 KB\)](#)


Score: 23, September 1997 

Fuel reforming and electrical performance studies in intermediate temperature ceria-gadolinia-based SOFCs (*Journal of Power Sources*, Volume: 86, Issue: 1-2)


- Livermore, Stephanie J.A.; Cotton, John W.; Ormerod, R. Mark, pp. 411-416, [Article Full-text PDF \(132 KB\)](#)

Score: 22, March 2000 


$\text{Bi}_2\text{O}_3\text{-Y}_2\text{O}_3\text{-CeO}_2$  solid solution oxide-ion electrolyte (*Solid State Ionics*, Volume: 89, Issue: 1-2)

- Keqin, Huang; Man, Feng; Goodenough, John B., pp. 17-24,  
[Article Full-text PDF \(383 KB\)](#)  
Score: **21**, August 1, 1996 


Subsolidus phase equilibria in the  $\text{RuO}_2\text{—PbO—CeO}_2$  system (*Materials Research Bulletin*, Volume: 36, Issue: 3-4)

- Hrovat, Marko; Bencan, Andreja; Holc, Janez; Kosec, Marija, pp. 767-773,  
[Article Full-text PDF \(752 KB\)](#)  
Score: **20**, February - March 2001 


Interactions between lanthanum gallate based solid electrolyte and ceria (*Materials Research Bulletin*, Volume: 34, Issue: 12-13)

- Hrovat, Marko; Ahmad-Khanlou, Ariane; Samardzija, Zoran; Holc, Janez, pp. 2027-2034, [Article Full-text PDF \(114 KB\)](#)  
Score: **19**, September - October 1999 


Properties of  $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$  (LSCF) double layer cathodes on gadolinium-doped cerium oxide (CGO) electrolytes: I. Role of  $\text{SiO}_2$  (*Solid State Ionics*, Volume: 106, Issue: 3-4)

- Bae, Joong-Myeon; Steele, B.C.H., pp. 247-253, [Article Full-text PDF \(398 KB\)](#)  
Score: **19**, February 1, 1998 


Total electrical conductivity and defect structure of  $\text{ZrO}_2\text{—CeO}_2\text{—Y}_2\text{O}_3\text{—Gd}_2\text{O}_3$  solid solutions (*Solid State Ionics*, Volume: 135, Issue: 1-4)

- Tsoga, A.; Naoumidis, A.; Stöver, D., pp. 403-409, [Article Full-text PDF \(323 KB\)](#)  
Score: **16**, November 1, 2000 


Electrical conductivities and chemical stabilities of mixed conducting pyrochlores for SOFC applications (*Solid State Ionics*, Volume: 135, Issue: 1-4)

- Holtappels, P.; Poulsen, F.W.; Mogensen, M., pp. 675-679,  
[Article Full-text PDF \(96.1 KB\)](#)  
Score: **14**, November 1, 2000 

Aerosol-assisted MOCVD deposition of YDC thin films on (NiO + YDC) substrates (*Materials Research Bulletin*, Volume: 35, Issue: 14-15)

- Wang, H.B.; Song, H.Z.; Xia, C.R.; Peng, D.K.; Meng, G.Y., pp. 2363-2370,  
[Article Full-text PDF \(335 KB\)](#)  
Score: **13**, November 2000 

Transparent two-phase composite oxide thin films with high conductivity (*Thin Solid Films*, Volume: 385, Issue: 1-2)

- Zhu, Bin; Xia, Changrong; Luo, Xiaoguang; Niklasson, Gunnar, pp. 209-214,  
[Article Full-text PDF \(199 KB\)](#)  
Score: **13**, April 2, 2001 

Ni-SDC cermet anode for medium-temperature solid oxide fuel cell with lanthanum gallate electrolyte (*Journal of Power Sources*, Volume: 83, Issue: 1-2)

- Zhang, Xinge; Ohara, Satoshi; Maric, Radenka; Mukai, Kazuo; Fukui, Takehisa; Yoshida, Hiroyuki; et. al., pp. 170-177, [Article Full-text PDF \(1.34 MB\)](#)

Score: 12, October 1999 

Miscibility gap in  $\text{CeO}_2\text{-ZrO}_2\text{-YO}_{1.5}$  system as an electrode of solid oxide **fuel** cell (*Solid State Ionics, Volume: 143, Issue: 2*)

- Sakai, Natsuko; Hashimoto, Takuya; Katsube, Tomoyuki; Yamaji, Katsuhiko; Negishi, Hideyuki; et. al., pp. 151-160, Article Full-text PDF (190 KB)

Score: 12, June 2, 2001 

---

Search executed on: Monday, 01-Jul-02 09:07:11 EDT.  
MPS Server, Copyright (C) 1993-1999, FS Consulting Inc. All rights reserved.  
Version: 2.5.3 - production (Aug 5 1999, 14:29:26).

Search on database: journals  
This database contains 43,884,566 words in 421,865 documents.  
There are 1,886,716 unique words and 547 stop words.  
The database was indexed using the plural stemmer

Your search:  
((fuel ADJ cells) AND (cerium OR ceria))

Is equivalent to:  
( ( fuel cells ADJ ) ( cerium ceria OR ) AND )

Search for 'fuel', stemmed to 'fuel'  
'fuel' occurs 10,570 times in 6,066 documents

Search for 'cells', stemmed to 'cell'  
'cell' occurs 212,602 times in 60,584 documents

Search for 'cerium', stemmed to 'cerium'  
'cerium' occurs 1,101 times in 550 documents

Search for 'ceria', stemmed to 'ceria'  
'ceria' occurs 456 times in 182 documents

The search retrieved 43 documents  
The search took less than a second.

---

powered by



[Home](#) | [Help](#) | [Feedback](#)

---

This page was generated by [ScienceServer](#).  
Copyright © 1998 by ScienceServer, LLC